Fused silica transmission grating technology enables high resolution, high efficiency gratings that are ideal for compact spectrometers



Transmission gratings from Ibsen build on leadership in fused silica transmission grating technology. The superior performance of holography, combined with wafer-based Holostepper™ processing, makes possible high resolution, high efficiency, low noise gratings at the cost level of traditional reflection gratings.



# Spectrometer Grating


757 I/m for 815 – 1065

**FSTG-NIR757-905** 

# 757 I/m for 815 - 1065

### **FSTG-NIR757-905**


| Benefits   |  |
|--|--|
| High diffraction efficiency combined with high dispersion      |  |
| Low polarization dependence over broad spectral range          |  |
| Unbeatable temperature and environmental tolerance             |  |
| Transmission configuration offers flexible and tolerant design |  |
| Low stray light and low wavefront distortion                   |  |



| Parameter                              | Specification  |
|--|--|
| Materials                              | Fused silica and high-power, dielectric AR coating materials |
| Grating area                           | 17.2 mm x 27.8 mm  |
| Chip size                              | 18.2 mm x 29.8 mm  |
| Chip thickness                         | 0.625 mm   |
| Grating resolution                     | 757 I/mm   |
| Dispersion at 940 nm                   | 0.061 deg/nm   |
| Angle of incidence (AOI)               | 19 deg   |
| Illumination bandwidth                 | 815 – 1065 nm  |
| Diffraction efficiency, unpolarized    | >70%, all wavelengths  |
| Coefficient of thermal expansion (CTE) | 0.5 ppm/K  |
| Maximum operating tempature            | >500 degrees C   |
| Cleaning recommendation                | First contact. Available from Photonic Cleaning              |

## **Typical grating performance**

# 757 l/mm for 815-1065 nm







# 757 I/m for 815 - 1065

#### **FSTG-NIR757-905**

#### Configuration/definitions



### **Drawing**



Specifications are subject to change without notice.

The above grating is an example of Ibsen's capabilities. Ibsen operates as grating partner for our customers, from being an integrated part of the grating and device / instrument design phase, to the manufacturing of prototypes, to volume manufacturing of OEM gratings.

